FEATURES

- High Brightness
- High Purity
- Excellent PE compatibility

BENEFITS

- Improved film optics
- Reduced stabilizer and slip adsorption
- Reduced yellowness index

SHIPPING INFORMATION

POLYBLOC[®] ships from Barretts, MT

Product is available in 50 lb. bags, supersacks, and bulk rail.

For availability and minimum order quantity, contact customer service.

SALES OFFICES

Barretts, MT 800-336-9008

Bethlehem, PA 800-801-1031

POLYBLOC®

Antiblock Talc for plastic film applications

Product Description


POLYBLOC® talc antiblock is an efficient antiblock with optimal particle size distribution and excellent compatibility with a variety of polyolefins and other film additives. Polybloc has improved film optics, reduced stabilizer and slip adsorption, and reduced yellowness index compared to ABT® talc antiblock products.

Typical Physical Properties

Median Particle Size (d50) microns by sedigraph	2.3	
Hegman Fineness (minimum)	6.0	
Dry Brightness (Hunter Y, Rd Value)	90	
Color, b value	0.5	
Bulk Density (Ibs/ft ³)	20.5	

** Values listed are typical, not to be considered as specifications.

Common Properties	
рН	8.8
Specific Gravity	2.8
Loss on Ignition (@1050°c)	5.5%
Moisture (% weight loss @110°c)	0.3



All products are sold or otherwise provided on the understanding that the Buyer or other user is solely responsible for determining their suitability for the intended use. All information provided is based upon our research, is typical of the products, and is believed to be accurate, but no guarantee, either expressed or implied, is made with respect thereto or with respect to the infringement of any patent. BARREITS MINERALS INC. (BMI) MAKES NO WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH ANY SALE OR USE OF THE PRODUCTS DESCRIBED HEREIN. Inconsistent terms and conditions contained in Buyer's purchase order shall not be binding on BMI unless reflected in writing signed by BMI's representative. This information is not to be copied, used in evidence, released for public distribution without written permission from Barretts Minerals Inc.

ABT and POLYBLOC are registered trademarks of Barretts Minerals Inc. or its affiliates.





Barretts Minerals Inc. and its subsidiary Barretts Ventures Texas LLC are debtors in possession in bankruptcy cases pending in the Bankruptcy Court for the Southern District of Texas jointly administered under Case No. 23-90794 (DRJ)